

TROUBLES DU METABOLISME ENERGETIQUE LIES A L'INGESTION D'AMIDON OU DE SUCRES CHEZ LE CHEVAL

Erica MACON
Texas A&M University

Liste complete des références bibliographiques :

1. Martin A, Lepers R, Vasseur M, Julliand S. Effect of high-starch or high-fibre diets on the energy metabolism and physical performance of horses during an 8-week training period. *Front Physiol* 2023;14:1213032.
2. Zeyner A, Bessert J, Gropp J. Effect of feeding exercised horses on high-starch or high-fat diets for 390 days. *Equine Vet J* 2002;34:50-57.
3. Loos CMM, Dorsch SC, Elzinga SE, et al. A high protein meal affects plasma insulin concentrations and amino acid metabolism in horses with equine metabolic syndrome. *Vet J* 2019;251:105341.
4. Shepherd M, Pleasant R, Crisman M, et al. Effects of high and moderate non-structural carbohydrate hay on insulin, glucose, triglyceride, and leptin concentrations in overweight Arabian geldings. *J Anim Physiol Anim Nutr (Berl)* 2012;96:428-435.
5. Borgia L, Valberg S, McCue M, et al. Glycaemic and insulinaemic responses to feeding hay with different non-structural carbohydrate content in control and polysaccharide storage myopathy-affected horses. *J Anim Physiol Anim Nutr (Berl)* 2011;95:798-807.
6. Ishida T, Chap Z, Chou J, et al. Differential effects of oral, peripheral intravenous, and intraportal glucose on hepatic glucose uptake and insulin and glucagon extraction in conscious dogs. *The Journal of clinical investigation* 1983;72:590-601.
7. Ferrannini E, Bjorkman O, Reichard Jr GA, et al. The disposal of an oral glucose load in healthy subjects: a quantitative study. *Diabetes* 1985;34:580-588.
8. Moore MC, Coate KC, Winnick JJ, et al. Regulation of Hepatic Glucose Uptake and Storage In Vivo. *Adv Nutr* 2012;3:286-294.
9. Pagliassotti M, Horton T. Hormonal and neural regulation of hepatic glucose uptake. *The Role of the Liver in Maintaining Glucose Homeostasis* 1994:45-70.
10. Unger RH, Eisentraut AM. Entero-insular axis. *Arch Intern Med* 1969;123:261-266.
11. Elrick H, Stimmler L, Hlad Jr C, Arai Y. Plasma insulin response to oral and intravenous glucose administration. *The Journal of Clinical Endocrinology & Metabolism* 1964;24:1076-1082.
12. Perley MJ, Kipnis DM. Plasma insulin responses to oral and intravenous glucose: studies in normal and diabetic subjects. *The Journal of clinical investigation* 1967;46:1954-1962.
13. McIntyre N, Holdsworth C, Turner Df. New interpretation of oral glucose tolerance. *The Lancet* 1964;284:20-21.
14. de Laat MA, McGree JM, Sillence MN. Equine hyperinsulinemia: investigation of the enteroinsular axis during insulin dysregulation. *Am J Physiol Endocrinol Metab* 2016;310:E61-72.
15. Gilbert MP, Pratley RE. GLP-1 analogs and DPP-4 inhibitors in type 2 diabetes therapy: review of head-to-head clinical trials. *Front Endocrinol (Lausanne)* 2020;11:178.

16. de Laat MA, Fitzgerald DM, Harris PA, Bailey SR. A glucagon-like peptide-1 receptor antagonist reduces the insulin response to a glycemic meal in ponies. *J Anim Sci* 2023;101:skad389.
17. Wachsmuth HR, Weninger SN, Duca FA. Role of the gut-brain axis in energy and glucose metabolism. *Exp Mol Med* 2022;54:377-392.
18. Pullicin AJ, Glendinning JI, Lim J. Cephalic phase insulin release: A review of its mechanistic basis and variability in humans. *Physiol Behav* 2021;239:113514.
19. Ahren B, Holst JJ. The cephalic insulin response to meal ingestion in humans is dependent on both cholinergic and noncholinergic mechanisms and is important for postprandial glycemia. *Diabetes* 2001;50:1030-1038.
20. Glendinning JI, Stano S, Holter M, et al. Sugar-induced cephalic-phase insulin release is mediated by a T1r2+ T1r3-independent taste transduction pathway in mice. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology* 2015;309:R552-R560.
21. Warnken T, Schaub C, Delarocque J, et al. Palatability, glycemic, and insulinemic responses to various carbohydrate formulations: Alternatives for the diagnosis of insulin dysregulation in horses? *J Vet Intern Med* 2023;37:282-291.
22. Daly K, Al-Rammahi M, Arora DK, et al. Expression of sweet receptor components in equine small intestine: relevance to intestinal glucose transport. *Am J Physiol Regul Integr Comp Physiol* 2012;303:R199-208.
23. Nelson G, Hoon MA, Chandrashekar J, et al. Mammalian sweet taste receptors. *Cell* 2001;106:381-390.
24. Margolskee RF, Dyer J, Kokrashvili Z, et al. T1R3 and gustducin in gut sense sugars to regulate expression of Na⁺-glucose cotransporter 1. *Proceedings of the National Academy of Sciences* 2007;104:15075-15080.
25. Moran AW, Al-Rammahi MA, Arora DK, et al. Expression of Na⁺/glucose co-transporter 1 (SGLT1) is enhanced by supplementation of the diet of weaning piglets with artificial sweeteners. *Br J Nutr* 2010;104:637-646.
26. Daly K, Al-Rammahi M, Arora DK, et al. Expression of sweet receptor components in equine small intestine: relevance to intestinal glucose transport. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology* 2012;303:R199-R208.
27. Dyer J, Daly K, Salmon K, et al. Intestinal glucose sensing and regulation of intestinal glucose absorption. *Biochem Soc Trans* 2007;35:1191-1194.
28. Rayo-Morales R, Segura-Carretero A, Borrás-Linares MI, García-Burgos D. Suppression of sweet taste-related responses by plant-derived bioactive compounds and eating. Part I: A systematic review in humans. *Heliyon* 2023.
29. de Laat MA, Kheder MH, Pollitt CC, Sillence MN. Sweet taste receptor inhibitors: Potential treatment for equine insulin dysregulation. *PLoS One* 2018;13:e0200070.
30. de Laat MA, Fitzgerald DM. Equine metabolic syndrome: Role of the enteroinsular axis in the insulin response to oral carbohydrate. *The Veterinary Journal* 2023;294:105967.
31. Fitzgerald DM, Walsh DM, Sillence MN, et al. Insulin and incretin responses to grazing in insulin-dysregulated and healthy ponies. *J Vet Intern Med* 2019;33:225-232.
32. Meier A, de Laat M, Reiche D, Sillence M. Glucagon-like peptide-1, insulin-like growth factor-1, and adiponectin in insulin-dysregulated ponies: effects of feeding a high nonstructural carbohydrate diet and association with prospective laminitis. *Domest Anim Endocrinol* 2020;71:106397.

33. Burcelin R, Dolci W, Thorens B. Glucose sensing by the hepatoportal sensor is GLUT2-dependent: in vivo analysis in GLUT2-null mice. *Diabetes* 2000;49:1643-1648.
34. Nauck MA, Meier JJ. The incretin effect in healthy individuals and those with type 2 diabetes: physiology, pathophysiology, and response to therapeutic interventions. *The lancet Diabetes & endocrinology* 2016;4:525-536.
35. Holst JJ. The incretin system in healthy humans: The role of GIP and GLP-1. *Metabolism* 2019;96:46-55.
36. Losada-Barragán M. Physiological effects of nutrients on insulin release by pancreatic beta cells. *Mol Cell Biochem* 2021;476:3127-3139.
37. Komatsu M, Takei M, Ishii H, Sato Y. Glucose-stimulated insulin secretion: A newer perspective. *Journal of diabetes investigation* 2013;4:511-516.
38. Deepa Maheshvare M, Raha S, König M, Pal D. A pathway model of glucose-stimulated insulin secretion in the pancreatic β -cell. *Front Endocrinol (Lausanne)* 2023;14:1185656.
39. Geidl-Flueck B, Gerber PA. Fructose drives de novo lipogenesis affecting metabolic health. *J Endocrinol* 2023;257.
40. Jensen T, Abdelmalek MF, Sullivan S, et al. Fructose and sugar: A major mediator of non-alcoholic fatty liver disease. *J Hepatol* 2018;68:1063-1075.
41. Lim JS, Mietus-Snyder M, Valente A, et al. The role of fructose in the pathogenesis of NAFLD and the metabolic syndrome. *Nature reviews Gastroenterology & hepatology* 2010;7:251-264.
42. Han H-S, Kang G, Kim JS, et al. Regulation of glucose metabolism from a liver-centric perspective. *Exp Mol Med* 2016;48:e218-e218.
43. Mittendorfer B, Magkos F, Fabbrini E, et al. Relationship between body fat mass and free fatty acid kinetics in men and women. *Obesity* 2009;17:1872-1877.
44. Conte C, Fabbrini E, Kars M, et al. Multiorgan insulin sensitivity in lean and obese subjects. *Diabetes Care* 2012;35:1316-1321.
45. Wilman HR, Kelly M, Garratt S, et al. Characterisation of liver fat in the UK Biobank cohort. *PLoS One* 2017;12:e0172921.
46. Pieńkowska J, Brzeska B, Kaszubowski M, et al. MRI assessment of ectopic fat accumulation in pancreas, liver and skeletal muscle in patients with obesity, overweight and normal BMI in correlation with the presence of central obesity and metabolic syndrome. *Diabetes, metabolic syndrome and obesity: targets and therapy* 2019;623-636.
47. Romieu I, Dossus L, Barquera S, et al. Energy balance and obesity: what are the main drivers? *Cancer Causes Control* 2017;28:247-258.
48. San-Cristobal R, Navas-Carretero S, Martínez-González MÁ, et al. Contribution of macronutrients to obesity: implications for precision nutrition. *Nature Reviews Endocrinology* 2020;16:305-320.
49. Carter RA, McCutcheon LJ, George LA, et al. Effects of diet-induced weight gain on insulin sensitivity and plasma hormone and lipid concentrations in horses. *Am J Vet Res* 2009;70:1250-1258.
50. Bamford N, Potter S, Baskerville C, et al. Effect of increased adiposity on insulin sensitivity and adipokine concentrations in different equine breeds adapted to cereal-rich or fat-rich meals. *The veterinary journal* 2016;214:14-20.
51. Ameer F, Scandiuzzi L, Hasnain S, et al. De novo lipogenesis in health and disease. *Metabolism* 2014;63:895-902.

52. Sundra T, Kelty E, Rendle D. Preliminary observations on the use of ertugliflozin in the management of hyperinsulinaemia and laminitis in 51 horses: a case series. *Equine Veterinary Education* 2023;35:311-320.
53. Jenkins D, Wolever T, Taylor R, et al. Jenkins 24. AL, Goff DV. Glycemic index of foods: a physiological basis for carbohydrate exchange. *Am J Clin Nutr* 1981;34:362-366.
54. Wolever TM, Mehling C. High-carbohydrate–low-glycaemic index dietary advice improves glucose disposition index in subjects with impaired glucose tolerance. *Br J Nutr* 2002;87:477-487.
55. Walton P, Rhodes EC. Glycaemic index and optimal performance. *Sports Med* 1997;23:164-172.
56. Vervuert I, Coenen M, Bothe C. Effects of oat processing on the glycaemic and insulin responses in horses. *J Anim Physiol Anim Nutr (Berl)* 2003;87:96-104.
57. Vervuert I, Coenen M, Bothe C. Effects of corn processing on the glycaemic and insulinaemic responses in horses. *J Anim Physiol Anim Nutr (Berl)* 2004;88:348-355.
58. Vervuert I, Bothe C, Coenen M. Glycaemic and insulinaemic responses to mechanical or thermal processed barley in horses. *J Anim Physiol Anim Nutr (Berl)* 2007;91:263-268.
59. Vervuert I, Voigt K, Hollands T, et al. Effect of feeding increasing quantities of starch on glycaemic and insulinaemic responses in healthy horses. *Vet J* 2009;182:67-72.
60. Vervuert I, Voigt K, Hollands T, et al. The effect of mixing and changing the order of feeding oats and chopped alfalfa to horses on: glycaemic and insulinaemic responses, and breath hydrogen and methane production. *J Anim Physiol Anim Nutr (Berl)* 2009;93:631-638.
61. Richards N, Choct M, Hinch G, Rowe JB. Equine α -amylase: Does it limit starch digestion in the small intestine of the horse. *Recent Advances in Animal Nutrition in Australia* 2003;14:191-196.
62. Coizet B, Nicoloso L, Marletta D, et al. Variation in salivary and pancreatic alpha-amylase genes in Italian horse breeds. *J Hered* 2014;105:429-435.
63. Zhang J-Y, Jiang Y-T, Liu Y-S, et al. The association between glycemic index, glycemic load, and metabolic syndrome: a systematic review and dose–response meta-analysis of observational studies. *Eur J Nutr* 2020;59:451-463.
64. Frank NB, S.; Bertin, F.R.; Burns, T.; de Laat, M.; Durham, A.; Kritchevsky, J.; Menzies-Gow, N. Recommendations for the Diagnosis and Management of Equine Metabolic Syndrome (EMS) In: Group EE, ed. <https://sitestuftsedu/equineendogroup/>, 2022.
65. Bamford N, Potter S, Harris PA, Bailey S. Breed differences in insulin sensitivity and insulinemic responses to oral glucose in horses and ponies of moderate body condition score. *Domest Anim Endocrinol* 2014;47:101-107.
66. Shanik MH, Xu Y, Škrha J, et al. Insulin Resistance and Hyperinsulinemia: Is hyperinsulinemia the cart or the horse? *Diabetes Care* 2008;31:S262-S268.
67. Toth F, Frank N, Martín-Jimenez T, et al. Measurement of C-peptide concentrations and responses to somatostatin, glucose infusion, and insulin resistance in horses. *Equine Vet J* 2010;42:149-155.
68. Asplin KE, Sillence MN, Pollitt CC, McGowan CM. Induction of laminitis by prolonged hyperinsulinaemia in clinically normal ponies. *Vet J* 2007;174:530-535.
69. de Laat MA, McGowan CM, Sillence MN, Pollitt CC. Equine laminitis: induced by 48 h hyperinsulinaemia in Standardbred horses. *Equine Vet J* 2010;42:129-135.
70. Menzies-Gow NJ, Banse HE, Duff A, et al. BEVA primary care clinical guidelines: diagnosis and management of equine pituitary pars intermedia dysfunction. *Equine Vet J* 2024;56:220-242.

71. Hart KAB, F. R.; Durham, A.; Frank, N.; McGowan, C.; Schott, H.; Stewart A. Recommendations for the Diagnosis and Management of Pituitary Pars Intermedia Dysfunction (PPID) In: Group EE, ed. <https://static1squarespacecom/static/65296d5988c69f3e85fa3653/t/6596d092174c8f1c3ae122b2/1704382615558/2023+EEG+PPID+-+Digital+version+with+insert+-+1222023pdf>. US-EQU-0389-2023 ed: <https://equineendocrinologygroup.org/>, 2023.
72. McGowan T, Pinchbeck G, McGowan C. Prevalence, risk factors and clinical signs predictive for equine pituitary pars intermedia dysfunction in aged horses. *Equine Vet J* 2013;45:74-79.
73. Horn R, Bamford N, Afonso T, et al. Factors associated with survival, laminitis and insulin dysregulation in horses diagnosed with equine pituitary pars intermedia dysfunction. *Equine Vet J* 2019;51:440-445.
74. Kirkwood NC, Hughes KJ, Stewart AJ. Pituitary pars intermedia dysfunction (PPID) in horses. *Veterinary Sciences* 2022;9:556.
75. Li FI, Spence RJ, de Laat MA, et al. Association between insulin dysregulation and adrenocorticotrophic hormone in aged horses and ponies with no clinical signs of pituitary pars intermedia dysfunction. *Equine Vet J* 2023;55:1003-1011.
76. Ireland J, Lester A, Banse H. Factors affecting measurement of basal adrenocorticotrophic hormone in adult domestic equids: A scoping review. *The Veterinary Journal* 2024;106071.
77. Heymering HW. A historical perspective of laminitis. *Veterinary Clinics: Equine Practice* 2010;26:1-11.
78. Rooney JR, Robertson JL. *Equine pathology*, 1996.
79. Hoffman R, Boston R, Stefanovski D, et al. Obesity and diet affect glucose dynamics and insulin sensitivity in Thoroughbred geldings. *J Anim Sci* 2003;81:2333-2342.
80. Pratt SE, Geor R, McCutcheon L. Effects of dietary energy source and physical conditioning on insulin sensitivity and glucose tolerance in Standardbred horses. *Equine Vet J* 2006;38:579-584.
81. Delarocque J, Reiche DB, Meier AD, et al. Metabolic profile distinguishes laminitis-susceptible and -resistant ponies before and after feeding a high sugar diet. *BMC Vet Res* 2021;17:56.
82. Carslake HB, Argo CM, Pinchbeck GL, et al. Insulinaemic and glycaemic responses to three forages in ponies. *Vet J* 2018;235:83-89.
83. Macon EL, Harris P, Bailey S, et al. Postprandial insulin responses to various feedstuffs differ in insulin dysregulated horses compared with non-insulin dysregulated controls. *Equine Vet J* 2021.
84. Macon EL, Harris P, Bailey S, et al. Identifying possible thresholds for nonstructural carbohydrates in the insulin dysregulated horse. *Equine Vet J* 2022.
85. Macon EL, Harris P, McClendon M, et al. Insulin dysregulated horses metabolic responses to forage pellets. *J Equine Vet Sci* 2024;133:104991.
86. Delarocque J, Reiche DB, Meier AD, et al. Metabolic profile distinguishes laminitis-susceptible and -resistant ponies before and after feeding a high sugar diet. *BMC Vet Res* 2021;17:1-10.
87. Loos CM, McLeod KR, Vanzant ES, et al. Differential effect of two dietary protein sources on time course response of muscle anabolic signaling pathways in normal and insulin dysregulated horses. *Frontiers in Veterinary Science* 2022;9:896220.
88. Taylor NP, Manjarin R, Woodward AD, et al. Transcript Profiles of Hexose Transporters in the Equine Gastrointestinal Tract. *J Equine Vet Sci* 2012;32:346-351.